


534 Rec'd PCT/PTO 01 AUG2000

FORM PTO-1390 (Modified) (REV 5-93)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				048662/0125	
				U.S. APPLICATION NO. 097601363 Unassigned	
INTERNATIONAL APPLICATION NO. PCT/DE99/03554		INTERNATIONAL FILING DATE November 13, 1999		PRIORITY DATE CLAIMED December 02, 1998	
TITLE OF INVENTION PORTABLE MICROPROCESSOR-ASSISTED DATA CARRIER THAT CAN BE USED WITH OR WITHOUT CONTACTS					
APPLICANT(S) FOR DO/EO/US Achim PIETIG					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).</p> <p>4. <input type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). <input type="checkbox"/> has been transmitted by the International Bureau. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)</p> <p>6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)).</p> <p>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). <input type="checkbox"/> have been transmitted by the International Bureau. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. <input checked="" type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p>					
Items 11. to 16. below concern other document(s) or information included:					
<p>11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>14. <input type="checkbox"/> A substitute specification.</p> <p>15. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>16. <input checked="" type="checkbox"/> Other items or information: PROPOSED CHANGES TO THE DRAWINGS</p>					

534 Rec'd PCT/PTC 01 AUG2000

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.50) Unassigned 09/601363		INTERNATIONAL APPLICATION NO. PCT/DE99/03554		ATTORNEY'S DOCKET NUMBER 048662/0125	
17. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS PTO USE ONLY	
Basic National Fee (37 CFR 1.492(a)(1)-(5): Search Report has been prepared by the EPO or JPO \$840.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) \$670.00					
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) \$690.00					
Neither international preliminary examination fee (37 CFR 1.482) nor International search fee (37 CFR 1.445(a)(2)) paid to USPTO \$970.00					
International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$96.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$840.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than 20 Months from the earliest claimed priority date (37 CFR 1.492(e))					
Claims	Number Filed	Included in Basic Fee	Extra Claims	Rate	
Total Claims	12	-	20	= 0 x	\$18.00
Independent Claims	2	-	3	= 0 x	\$78.00
Multiple dependent claim(s) (if applicable)				\$260.00	
TOTAL OF ABOVE CALCULATIONS =				\$840.00	
Reduction by ½ for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).				\$0.00	
SUBTOTAL =				\$840.00	
Processing fee of \$130.00 for furnishing English translation later the 20 months from the earliest claimed priority date (37 CFR 1.492(f)).				+	
TOTAL NATIONAL FEE =				\$840.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				+	
TOTAL FEES ENCLOSED =				\$880.00	
				Amount to be: refunded \$	
				charged \$	
<p>a. <input checked="" type="checkbox"/> A check in the amount of \$880.00 to cover the above fees is enclosed.</p> <p>b. <input type="checkbox"/> Please charge my Deposit Account No. <u>19-0741</u> in the amount of \$0.00 to the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>19-0741</u>. A duplicate copy of this sheet is enclosed.</p>					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
Foley & Lardner Washington Harbour 3000 K Street, N.W., Suite 500 Washington, D.C. 20007-5109				 SIGNATURE NAME WILLIAM T. ELLIS REGISTRATION NUMBER 26,874	

09/601363

Attorney Docket No. 048662/0125

534 Rec'd PCT/PTC 01 AUG2000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Achim PIETIG
Title: PORTABLE MICROPROCESSOR-ASSISTED DATA
CARRIER THAT CAN BE USED WITH OR
WITHOUT CONTACTS
Appl. No.: Unassigned
Filing Date: Concurrently Herewith
Examiner: Unassigned
Art Unit: Unassigned

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Preliminary to examination, please amend the application as indicated below
and please consider the following remarks.

IN THE DRAWINGS:

Amendment of Figures 1-3 as described in the accompanying Proposed
Drawing Correction.

IN THE ABSTRACT:

Please insert after page 9 of the claims, the Abstract, which is attached
hereto.

IN THE SPECIFICATION:

Page 1, line 2, delete, "Background of the Invention";
line 7, insert --Background of the Invention--.
Page 2, line 3, insert --Summary of the Invention--;
line 27, delete, "_processes" and insert --processes--.
Page 6, line 13, insert, --Brief Description of the Drawings--;

line 14, insert, --The present invention will be described in further detail with reference to the accompanying drawings, in which:--,

line 15, insert, --Figure 1, is an illustration of the portable data medium according to the present invention;--;

line 16, insert, --Figure 2, is an illustration of the semiconductor module containing microprocessor, memory and antenna interface;-- ;

line 17, insert, --Figure 3(a), is an illustration of the data input/data output unit operating in contacted fashion; and --

line 18, insert, --Figure 3(b), is an illustration of the data input/data output operating in contactless fashion.

line 19, insert --Detailed Description of the Invention--.

Page 7, line 12, delete, "33" and insert --3(b)--.

Page 8, line 20, insert --The foregoing description of a preferred embodiment of the invention has been presented for purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed, and modifications and variations are possible in light of the above teachings or may be acquired for practice of the invention. The embodiment was chosen and described in order to explain the principles of the invention and its practical application to enable one skilled in the art to utilize the invention in various embodiments and with various modifications as are suited to the particular use contemplated. It is intended that the scope of the invention be defined by the claims appended hereto, and their equivalents.--

IN THE CLAIMS:

Please cancel claims 1-12;

Please add claims 13-24;

--13. A portable microprocessor-assisted data medium able to be operated in both contacted and contactless fashion, comprising:

a structure for carrying out an contacted mode, in which the portable data medium and a data input/data output unit transmit data to each other in a contacted fashion;

a structure for carrying out an contactless mode, in which said the portable data medium and the data input/data output unit transmit data to each other in a contactless fashion; and

said portable data medium has at least one memory divided into various memory areas, such that said portable data medium stores at least one access condition for at least one memory area, said access condition defines the condition under which access to said memory area is permitted, also, said portable data medium stores at least one data transmission-specific access condition for at least one memory area, said access condition defines the basis of the type of data transmission between the portable data medium and a data input/data output unit and the condition under which access to this particular memory area is permitted.

14. The portable microprocessor-assisted data medium as defined in claim 13, wherein, a data transmission-specific access condition for the contactless mode is provided for at least one memory area, said access condition prohibiting any access to this particular memory area in the portable data medium's contactless mode.

15. The portable microprocessor—assisted data medium as defined in claim 14, wherein a data transmission-specific access condition for the contactless mode is provided for at least one memory area, said access condition defining different conditions under which access is permitted for each of at least two different access types in the portable data medium's contactless mode.

16. The portable microprocessor-assisted data medium as defined in claim 15, wherein various access types are allocated different data transmission-specific access conditions for a memory area for the contactless mode, said access conditions defining the conditions under which access is permitted for the respective access type in the portable data medium's contactless mode.

17. The portable microprocessor-assisted data medium as defined in claim 13, wherein a data transmission-specific access condition for the contacted mode is provided

for at least one memory area, said access condition prohibiting any access to this particular memory area in the portable data medium's contacted mode.

18. The portable microprocessor-assisted data medium as defined in claim 17, wherein a data transmission-specific access condition for the contacted mode is provided for at least one memory area, said access condition defining different conditions under which access is permitted for each of at least two different access types in the portable data medium's contacted mode.

19. The portable microprocessor-assisted data medium as defined in claim 13, wherein various access types are allocated different data transmission-specific access conditions for a particular memory area for the contacted mode, said access conditions defining the conditions under which access is permitted for the respective access type in the portable data medium's contacted mode.

20. The portable microprocessor-assisted data medium as defined in claim 13, wherein, for at least one memory area and for at least one access type, one data transmission-specific access condition is provided for the contacted mode and one data transmission-specific access condition is provided for the contactless mode.

21. The portable microprocessor-assisted data medium as defined in claim 13, wherein, the data transmission-specific access condition can be input into a freely programmable nonvolatile memory in the portable data medium by authorized agencies using an item of secret information.

22. The portable microprocessor-assisted data medium as defined in claim 13, wherein, the data transmission-specific access condition can be reprogrammed into the portable data medium by authorized agencies using an item of secret information.

23. The portable microprocessor-assisted data medium as defined in claim 13, wherein, the data transmission-specific access condition is stored in a non-modifiable read only memory in the portable data medium.

24. A method for carrying out communication between a portable microprocessor-assisted data medium and a data input/data output unit operating in contacted fashion or a data input/data output unit operating in contactless fashion, comprising the steps of:

dividing at least one memory contained in the portable data medium, into various memory areas;

storing in said memory contained in said portable data medium at least one data transmission-specific access condition, said access condition defining the condition under which access to said various memory areas is permitted and determining access to a particular one of said various memory areas based on the type of data transmission between the portable data medium and the data input/data output unit; and

checking before the particular one of said various one of said various memory areas is accessed (an access command transmitted by the data input/data output unit is executed), whether in consideration of the data transmission-specific access condition, the desired access command is permitted given the particular current type of data transmission, and executing the access command only if the result of the check is that access is permitted. ~-

REMARKS

Examination of the application as amended is requested.

The present application claims foreign priority under 35 U.S.C. §119. The newly presented claims were added to conform with the standards required for a U.S. Application. The newly added claims have been submitted for examination.

The Specification has been amended to correct for minor informalities and to conform to MPEP 608.01(a). No new matter has been added.

A proposed drawing correction has been included to correct for minor informalities in the drawings and to conform with standards required for a U.S. Application.


CONCLUSION

Should there be any questions regarding this application, the Examiner is invited to contact the undersigned at the number shown below.

Respectfully submitted,

Date August 1, 2000

By



FOLEY & LARDNER
Washington Harbour
3000 K Street, N.W., Suite 500
Washington, D.C. 20007-5109
Telephone: (202) 672-5485
Facsimile: (202) 672-5399

William T. Ellis
Attorney for Applicant
Registration No. 26,874

Should additional fees be necessary in connection with the filing of this paper, or if a petition for extension of time is required for timely acceptance of same, the Commissioner is hereby authorized to charge Deposit Account No. 19-0741 for any such fees; and applicant(s) hereby petition for any needed extension of time.

THE ABSTRACT OF THE DISCLOSURE

A Portable Microprocessor-assisted data carrier that can be operated with or without contacts. At least one data-transmission specific access condition is stored in the portable data carrier for at least one area of memory. The access condition defines the condition for access to specific areas of a memory according to the type of data transmission (with or without contacts) between the possible data carrier and a data input/output device.

534 Rec'd PCT/PTC 01 AUG2000

Title: Portable microprocessor-assisted data medium
which can be operated both in contacted and
contactless fashion

5 The invention relates to a portable microprocessor-assisted data medium which can be operated both in contacted and contactless fashion. In this context the portable data medium is preferably in the form of a smart card.

10

Contacted cards have electrical contact surfaces for the supply of power and for data interchange with a corresponding data input/data output unit operating in contacted fashion when in physical contact. Contacted cards have been widespread for a relatively long time as access authorization cards for GSM mobile radio systems, telephone cards, health insurance cards, bank cards etc.

20 Contactless cards contain a coil as an antenna for the supply of power and for data interchange with a corresponding data input/data output unit operating in contactless (inductive) fashion. In this context, the card is provided with an antenna interface which uses
25 an AC voltage induced in the coil to produce a DC voltage for supplying voltage to the microprocessor. The antenna interface also serves as a signal converter

- 2 -

for the data which is to be interchanged between the contactlessly operating terminal and the microprocessor. The antenna interface is preferably integrated on a semiconductor module together with the
5 microprocessor.

The subject of the invention is a portable microprocessor-assisted data medium which combines the two sets of functions (contacted and contactless)
10 within itself. Such portable data media are known by the terms Combi card (combination of contacted and contactless functions) or Dual Interface Card (card with contacted and contactless interface).

15 The type of data transmission between the portable data medium and a data input/data output unit operating in contacted fashion is naturally different from the type of data transmission between the portable data medium and a data input/data output unit operating in
20 contactless fashion. Different transmission protocols are used for the portable data medium's contacted mode and contactless mode. Indeed, different transmission protocols (T = 0, T = 1, T = 14) are known only for the contacted mode.

25

The portable data media which are the subject of the invention support both at least one transmission

- 3 -

protocol for the contacted mode (e.g. $T = 1$) and a transmission protocol for the contactless mode.

The portable data media forming the subject of the invention have an operating system which - irrespective of the type of data transmission - processes and administers the data stored in various memory areas on the basis of the commands received from the respective data input/data output unit.

In turn, one, two or more application programs can be installed on such an operating system. Such portable data media on which a plurality of application programs are installed are also called multifunctional smart cards. The portable data medium forming the subject of the invention would then be referred to as a multifunctional Dual Interface Card. In this context, each application can have various memory areas allocated to it. Thus, by way of example, the portable data medium could comprise a cash card application supervised by banks and a local public passenger services application supervised by a local public passenger services network operator. In this context, the cash card application would be allocated a cash fund as the memory area and the local public passenger services application would be allocated a corresponding

- 4 -

local public passenger services fund as the memory area.

Whereas a prerequisite for contacted use of the
5 portable data medium is always that the holder of the
portable data medium consciously and deliberately
introduces it into the appropriate data input/data
output unit, this conscious, deliberate behavior is not
always necessary for data transmission to take place in
10 the case of contactless operation. The sometimes
relatively long range of contactlessly operating data
input/data output units means that data transmission
can also take place even when the portable data medium
is still in the data medium holder's pocket, for
15 example. Thus, for example, whenever the holder passes
through the entrance and/or exit area of underground
stations, contactless data transmission can
automatically be set up for the purpose of quick and
convenient fare payment.

20

However, this advantage of the contactless mode of
operation presents a risk in a portable data medium
which can be operated both in contactless and contacted
fashion. This risk is that hackers could attempt to use
25 a contactlessly operating data input/data output unit
in order also to access, unnoticed, memory areas which
are actually reserved for the contacted-mode

- 5 -

application, with access to this memory area normally having the prerequisite that the data medium is consciously and deliberately introduced into the data input/data output unit operating in contacted fashion.

5

The object of the invention is therefore to provide a portable microprocessor-assisted data medium which can be operated both in contacted and contactless fashion and is provided with the assurance that it is not possible for memory areas which are intended to be reserved for the contacted-mode application to be contactlessly accessed without the data medium holder's knowledge.

10

15 The invention achieves this object by virtue of the portable data medium storing at least one data transmission-specific access condition for at least one memory area, said access condition defining, on the basis of the type of data transmission between the portable data medium and a data input/data output unit, the condition under which access to this memory area is permitted.

20

The access condition may be an individual bit indicating, as a flag, whether or not access to this memory area is permitted for the current type of data transmission (contacted or contactless).

25

09501363-000100

The inventive provision of a data transmission-specific
20 access condition thus reliably ensures that access to
particular memory areas is prohibited in the case of
contactless data transmission, while access is
permitted in the case of contacted data transmission.

25 In this context, access in the case of contactless data
transmission is blocked generally in one embodiment.

- 7 -

In another embodiment, the access restriction applies only to particular access types (commands), while other access types are permitted. In this context, a single access condition may be provided which defines for various access types different conditions under which this access type is permitted. As an alternative to this, a dedicated data transmission-specific access condition is provided for each access type.

10 In addition, the reverse configuration is also within the scope of the invention, where, in the case of contacted operation, appropriate access conditions are used to block access to particular memory areas which are intended to be reserved only for the contactless
15 mode.

Furthermore, provision is also made for at least one data transmission-specific access condition to be provided only for the contacted mode, said access
20 condition defining, on the basis of the active contacted transmission protocol ($T = 0$, $T = 1$, $T = 14$), the condition under which access to a memory area is permitted.

25 In this context, the data transmission-specific access condition according to the invention can be input into a freely programmable nonvolatile memory in the

- 8 -

portable data medium by authorized agencies using an item of secret information, and the access conditions may preferably also be reprogramed. The access conditions are programed in so-called initialization
5 and/or personalization steps.

Instead of freely programing the access conditions, they may also be stored in a nonmodifiable read only memory (ROM).
10

The appended drawings will be used to explain the invention in more detail below.

Figure 1 shows the portable data medium in the form of
15 a smart card. For the contacted mode of operation, said smart card has electrically conductive contact surfaces (Ki) on one side of the card. For the contactless mode of operation, an antenna (A) in the form of a coil is situated in the card body. For illustrative purposes,
20 the card body is shown open at two places in the region of the coil winding.

Figure 2 shows a schematic illustration of the portable data medium. It shows the semiconductor module
25 containing a microprocessor, a memory and an integrated antenna interface. The antenna (A) is connected to one side of this one semiconductor module by means of

- 9 -

appropriate connecting lines (LA), and the contact surfaces (Ki) are connected to the other side of it by means of appropriate connecting lines (LK_i). In addition to the CPU as the central arithmetic and logic unit, the semiconductor module contains a read only memory (ROM), which stores at least sections of the operating system, and a volatile main memory (RAM). In addition, there is a nonvolatile programmable memory (EEPROM) divided into various memory areas. This memory can store, amongst other things, a section of the operating system. Furthermore, it contains the application programs with appropriate memory areas as data fields.

Figure 3A is a schematic illustration of the portable data medium in conjunction with a data input/data output unit operating in contacted fashion; Figure 3B is a schematic illustration of the portable data medium in conjunction with a data input/data output unit operating in contactless fashion.

Figure 4 is a schematic exemplary illustration of various memory areas of the EEPROM memory with the appropriate access conditions according to the invention. In this context, the i-th memory area is provided as a data field for a cash fund which is used in connection with the contacted cash card application.

- 10 -

In addition, there is the j-th memory area, which is used as the data field for a further fund, which is used in connection with the contactless local public passenger services application. In this case, the "cash
5 fund" memory area has 4 associated access conditions (AC1, AC2, AC3, AC4), which define access to this memory area on the basis of the contacted or contactless mode of operation. In the simplest case, the access conditions are stored as a flag in the form
10 of a single bit which can be set or not set.

Thus, for example, the meanings are as follows:

- AC1 = 1: Read command permitted in contacted mode,
- 15 AC1 = 0: Read command prohibited in contacted mode,
- AC2 = 1: Update command permitted in contacted mode,
- AC2 = 0: Update command prohibited in contacted mode,
- AC3 = 1: Read command prohibited in contactless mode,
- AC3 = 0: Read command permitted in contactless mode,
- 20 AC4 = 1: Update command prohibited in contactless mode,
- AC2 = 0: Update command permitted in contactless mode.

The same applies to the access conditions for the local
25 public passenger services fund.

- 11 -

The access conditions themselves can be read internally (in the portable data medium) in both modes of operation. Optionally, the access conditions can also be read by the data input/data output units. They may
5 be changed only by authorized agencies, however.

5

Patent claims

1. A portable microprocessor-assisted data medium
able to be operated both in contacted and
5 contactless fashion, where
- in contacted mode, data transmission takes
place between the portable data medium and a
data input/data output unit operating in
contacted fashion,
 - 10 - in contactless mode, data transmission takes
place between the portable data medium and a
data input/data output unit operating in
contactless fashion,
 - the portable data medium has at least one
15 memory divided into various memory areas,
 - the portable data medium stores at least one
access condition for at least one memory
area, said access condition defining the
condition under which access to this memory
20 area is permitted,
- wherein
- the portable data medium stores at least one data
transmission-specific access condition for at
least one memory area, said access condition
25 defining, on the basis of the type of data
transmission between the portable data medium and

- 13 -

a data input/data output unit, the condition under which access to this memory area is permitted.

2. The portable microprocessor-assisted data medium
5 as claimed in claim 1,

wherein

a data access condition transmission-specific for the contactless mode is provided for at least one memory area, said access condition prohibiting any
10 access (all access types, commands) to this memory area in the portable data medium's contactless mode.

3. The portable microprocessor-assisted data medium
15 as claimed in claim 1 or 2,

wherein

a data transmission-specific access condition for the contactless mode is provided for at least one memory area, said access condition defining
20 different conditions under which access is permitted for each of at least two different access types in the portable data medium's contactless mode.

- 25 4. The portable microprocessor-assisted data medium as claimed in one of the preceding claims, wherein

- 14 -

various access types are allocated different data transmission-specific access conditions for a memory area for the contactless mode, said access conditions defining the conditions under which access is permitted for the respective access type in the portable data medium's contactless mode.

5. The portable microprocessor-assisted data medium as claimed in one of the preceding claims,

wherein

a data transmission-specific access condition for the contacted mode is provided for at least one memory area, said access condition prohibiting any access to this memory area in the portable data medium's contacted mode.

6. The portable microprocessor-assisted data medium as claimed in one of the preceding claims, wherein

a data transmission-specific access condition for the contacted mode is provided for at least one memory area, said access condition defining different conditions under which access is permitted for each of at least two different access types in the portable data medium's contacted mode.

- 15 -

7. The portable microprocessor-assisted data medium as claimed in one of the preceding claims, wherein various access types are allocated different data transmission-specific access conditions for a memory area for the contacted mode, said access conditions defining the conditions under which access is permitted for the respective access type in the portable data medium's contacted mode.
8. The portable microprocessor-assisted data medium as claimed in one of the preceding claims, wherein, for at least one memory area and for at least one access type, one data transmission-specific access condition is provided for the contacted mode and one data transmission-specific access condition is provided for the contactless mode.
9. The portable microprocessor-assisted data medium as claimed in one of the preceding claims, wherein it is designed such that the data transmission-specific access condition can be input into a freely programmable nonvolatile memory in the portable data medium by authorized agencies using an item of secret information.

10. The portable microprocessor-assisted data medium
as claimed in one of the preceding claims,
wherein
5 it is designed such that the data transmission-
specific access condition can be reprogramed into
the portable data medium by authorized agencies
using an item of secret information.
- 10 11. The portable microprocessor-assisted data medium
as claimed in one of the preceding claims 1 to 8,
wherein
the data transmission-specific access condition is
stored in a nonmodifiable read only memory in the
15 portable data medium.
12. A method for carrying out communication between a
portable microprocessor-assisted data medium and a
data input/data output unit operating in contacted
20 fashion or a data input/data output unit operating
in contactless fashion, where
- the portable data medium has at least one
memory divided into various memory areas,
 - the portable data medium stores at least one
25 data transmission-specific access condition
for at least one memory area, said access
condition defining, on the basis of the type

09/601363

Atty. Dkt. No. 048662/0125

534 Rec'd PCT/PTC 01 AUG 2000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Achim PIETIG

Title: PORTABLE MICROPROCESSOR-ASSISTED DATA CARRIER
THAT CAN BE USED WITH OR WITHOUT CONTACTS

Appl. No.: (unassigned)

Filing Date: Concurrently herewith

Examiner: (unassigned)

Art Unit: (unassigned)

PROPOSED CHANGES TO THE DRAWINGS

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Applicant proposes to amend Figure number(s) 1, 2, 3A and 3B as shown in red on the attached copies. With the Examiner's approval, the changes will be made to the formal drawings in due course.

Respectfully submitted,

By 

Date August 1, 2000

FOLEY & LARDNER
Washington Harbour
3000 K Street, N.W., Suite 500
Washington, D.C. 20007-5109
Telephone: (202) 672-5485
Facsimile: (202) 672-5399

William T. Ellis
Attorney for Applicant
Registration No. 26,874

~~Analog-Datenträger~~ Portable Data Carrier




Fig. 1








Fig. 2

007080-29270960

43A



*Fig. 1*

*Fig. 2*

DOTDSD-ESETDSD

Fig. 38





Fig. 3A



EEPROM	
Access conditions	1st memory area
Access conditions	2nd memory area
Access conditions	
Access conditions	<u>i-th memory area</u>
AC1: Read command permitted in contacted mode	Cash fund
AC2: Update command permitted in contacted mode	
AC3: Read command prohibited in contactless mode	
AC4: Update command prohibited in contactless mode	
Access conditions	<u>j-th memory area</u>
AC1: Read command permitted in contacted mode	Fund for local public transport
AC2: Update command permitted in contacted mode	
AC3: Read command permitted in contactless mode	
AC4: Update command permitted in contactless mode	
Access conditions	

Fig. 4

Declaration and Power of Attorney for Patent Application

Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

daß mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, daß ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Mitfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent für die Erfindung mit folgendem Titel beantragt wird:

deren Beschreibung hier beigefügt ist, es sei denn (in diesem Falle Zutreffendes bitte ankreuzen), diese Erfindung

- ☐ wurde angemeldet am _____ unter der US-Anmeldenummer oder unter der Internationalen Anmeldenummer im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) _____ und am _____ abgeändert (falls zutreffend).

Ich bestätige hiermit, daß ich den Inhalt der oben angegebenen Patentanmeldung, einschließlich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.

Ich erkenne meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, Code of Federal Regulations, § 1.56 von Belang sind.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

PORTABLE MICROPROCESSOR-ASSISTED DATA CARRIER THAT CAN BE USED WITH OR WITHOUT CONTACTS

the specification of which is attached hereto unless the following box is checked:

- ☐ was filed on 13 November 1999 as United States Application Number or PCT International Application Number PCT/DE99/03554 and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

(Page 1 of 3)

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

German Language Declaration

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderrkunden, oder § 365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land außer den Vereinigten Staaten von Amerika benennen, und habe nachstehend durch ankreuzen sämtliche Auslands- anmeldungen für Patente bzw. Erfinderrkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

I hereby claim foreign priority under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Prior foreign applications

Priorität beansprucht

198 35 596.2

(Number)
(Nummer)

Germany

(Country)
(Land)

02 December 1998

(Day/Month/Year Filed)
(Tag/Monat/Jahr eingereicht)

Priority Claimed

☒Yes
Ja☐No
Nein(Number)
(Nummer)(Country)
(Land)(Day/Month/Year Filed)
(Tag/Monat/Jahr eingereicht)☐Yes
Ja☐No
Nein(Number)
(Nummer)(Country)
(Land)(Day/Month/Year Filed)
(Tag/Monat/Jahr eingereicht)☐Yes
Ja☐No
Nein

Ich beanspruche hiermit die mir unter Title 35, US-Code, § 120 zustehenden Vorteile aller unten aufgeführten US-Patentanmeldungen bzw. § 365(a) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und erkläre, insofern der Gegenstand eines jeden früheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations, § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentrechts (PCT) gültigen internationalen Anmeldetags bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(a) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application No.)
(Anmeldungsnummer)(Filing Date)
(Anmeldetag)

(Status) (patented, pending, abandoned)

(Status) (patentiert, schwebend, aufgegeben)

(Application No.)
(Anmeldungsnummer)(Filing Date)
(Anmeldetag)

(Status) (patented, pending, abandoned)

(Status) (patentiert, schwebend, aufgegeben)

Ich erkläre hiermit, daß alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und daß derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrierungsnummer angeben)

Stephen A. Bent, Reg. No. 29,768; David A. Blumenthal, Reg. No. 26,237; William T. Ellis, Reg. No. 26,874; John J. Feldhaus, Reg. No. 28,822; Patricia D. Granados, Reg. No. 33,683; John P. Jackson, Reg. No. 33,715; Donald D. Jeffery, Reg. No. 19,980; Eugene M. Lee, Reg. No. 32,039; Richard Linn, Reg. No. 25,144; Peter G. Mack, Reg. No. 26,001; Brian J. McNamara, Reg. No. 32,789; Sybil Meloy, Reg. No. 22,749; George E. Quillin, Reg. No. 32,792; Colin G. Sanderscock, Reg. No. 31,298; Bernhard D. Saxe, Reg. No. 28,665; Charles F. Schill, Reg. No. 27,590; Richard L. Schwaab, Reg. No. 25,479; Arthur Schwartz, Reg. No. 22,115; Harold C. Wegner, Reg. No. 25,258.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Stephen A. Bent, Reg. No. 29,768; David A. Blumenthal, Reg. No. 26,237; William T. Ellis, Reg. No. 26,874; John J. Feldhaus, Reg. No. 28,822; Patricia D. Granados, Reg. No. 33,683; John P. Jackson, Reg. No. 33,715; Donald D. Jeffery, Reg. No. 19,980; Eugene M. Lee, Reg. No. 32,039; Richard Linn, Reg. No. 25,144; Peter G. Mack, Reg. No. 26,001; Brian J. McNamara, Reg. No. 32,789; Sybil Meloy, Reg. No. 22,749; George E. Quillin, Reg. No. 32,792; Colin G. Sanderscock, Reg. No. 31,298; Bernhard D. Saxe, Reg. No. 28,665; Charles F. Schill, Reg. No. 27,590; Richard L. Schwaab, Reg. No. 25,479; Arthur Schwartz, Reg. No. 22,115; Harold C. Wegner, Reg. No. 25,258.

Telefongespräche bitte richten an:

William T. Ellis
(202) 672-5300

Direct Telephone Calls to:

William T. Ellis
(202) 672-5300

Postanschrift:

FOLEY & LARDNER
3000 K Street, N.W., Suite 500
P.O. Box 25696
Washington, D.C. 20007-8696

Send Correspondence to:

FOLEY & LARDNER
3000 K Street, N.W., Suite 500
P.O. Box 25696
Washington, D.C. 20007-8696

Voller Name des einzigen oder ursprünglichen Erfinders:		Full name of sole or first inventor:	
Unterschrift des Erfinders		Inventor's signature	
Datum		Date	
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des zweiten Miterfinders (falls zutreffend)		Full name of second joint inventor, if any	
Unterschrift des Erfinders		Second Inventor's signature	
Datum		Date	
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben.)

(Supply similar information and signatures for third and subsequent joint inventors.)